

Appl. No. 10/051,952
Reply to Office Action of June 2, 2005

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims

1. (Currently amended) A method for treating a wrinkle in a human subject, the method comprising the step of administering ~~[[an]]~~ a wrinkle reducing amount of a botulinum toxin to the human subject using a needleless syringe having a pressure sufficient to deliver the botulinum toxin to a muscle tissue associated with the wrinkle to reduce a muscle contraction of the muscle tissue without treating hyperhydrosis of the human subject, ~~the amount of the botulinum toxin being effective to treat the wrinkle by reducing a muscle contraction.~~
2. (Previously presented) The method of claim 1 wherein the botulinum toxin is administered with a carrier.
3. (Previously presented) The method of claim 2 wherein the botulinum toxin is coated on said carrier.
4. (Previously presented) The method of claim 2 wherein said carrier comprises a material selected from the group consisting of gold, platinum, tungsten and ice crystal.
- 5-9. (Cancelled)

Appl. No. 10/051,952
Reply to Office Action of June 2, 2005

10. (Previously presented) The method of claim 1, wherein the botulinum toxin is selected from the group consisting of botulinum toxin types A, B, C₁, D, E, F, and G.

11. (Cancelled)

12. (Previously presented) The method of claim 1 wherein the botulinum toxin is botulinum toxin type A.

13-35. (Cancelled)

36. (Currently amended) A method for treating brow furrows in a human subject, the method comprising the step of administering [[an]] a brow-furrow reducing amount of a botulinum toxin to the human subject using a needleless syringe having a pressure sufficient to deliver the botulinum toxin to a muscle tissue associated with the brow furrows to reduce a muscle contraction of the muscle tissue without treating hyperhydrosis of the human subject, the amount of the botulinum toxin being effective to treat a brow furrow by reducing a muscle contraction.

37. (Previously presented) The method of claim 36, wherein the botulinum toxin is administered with a carrier.

38. (Previously presented) The method of claim 37, wherein the botulinum toxin is coated on said carrier.

39. (Previously presented) The method of claim 37, wherein said carrier comprises a material selected from the group consisting of gold, platinum, tungsten and ice crystal.

Appl. No. 10/051,952
Reply to Office Action of June 2, 2005

40-42. (Cancelled)

43. (Previously presented) The method of claim 36, wherein the botulinum toxin is selected from the group consisting of botulinum toxin types A, B, C₁, D, E, F, and G.

44. (Previously presented) The method of claim 36, wherein the botulinum toxin is botulinum toxin type A.

45. (Currently amended) A method for treating a wrinkle in a human subject, the method comprising the step of administering [[an]] a wrinkle reducing amount of a botulinum toxin to a subdermal muscle tissue in proximity to the wrinkle of the human subject using a needleless syringe having a pressure sufficient to deliver the botulinum toxin to the subdermal muscle tissue associated with the wrinkle to reduce a muscle contraction of the muscle tissue without treating hyperhydrosis of the human subject, ~~the amount of the botulinum toxin being effective to treat the wrinkle by reducing a muscle contraction of the subdermal muscle tissue.~~